

BLANKET TECHNOLOGY  
MADE IN GERMANY

**CONTI-AIR®**  
BLANKET TECHNOLOGY

**CONTI-AIR® PRISMA HC**  
Sheetfed Blanket

# CONTI-AIR® PRISMA HC



Coldset

Heatset

Sheetfed

Packaging

Metaldeco

## Das perfekte Drucktuch für den Bogenoffset.

- › Beständig gegen konventionelle, Hybrid- und UV-Farben sowie Waschmittel
- › Verringerter Papierstaubaufbau
- › Minimales Setzverhalten über die gesamte Lebensdauer
- › Hervorragende Knautscherbeständigkeit
- › Sehr gut für Kartondruck / wechselnde Substratdicke

## The perfect blanket for sheetfed printing.

- › Resistant against conventional, hybrid and UV inks as well as washes
- › Reduced paper dust build up
- › Minimal sinking throughout the lifetime of the printing blanket
- › Excellent smash resistance
- › Very good for carton / changing substrate-thicknesses

### Richtwerte / Guiding Value


		Norm / Standard
<b>Farbe:</b> <b>Color:</b>	magenta	
<b>Oberfläche:</b> <b>Surface:</b>	feinstgeschliffen microground	
<b>Härte Deckgummi:</b> <b>Hardness of face compound:</b>	55 Shore A	DIN ISO 48-4*/**
<b>Kompressibilität bei 1.350 kPa:</b> <b>Compressibility at 1.350 kPa:</b>	0,220 mm	R_05_10AA3119*
<b>Nennstärke:</b> <b>Thickness:</b>	1,96 mm +/-0,02 mm	DIN EN ISO 2286-3*

\* In Anlehnung an die gegebene Norm durchgeführt. Bitte beachten Sie, dass die Anzahl der getesteten Stichproben variieren kann.  
Performed in accordance with the given standard. Please note that the number of samples tested may differ.


\*\* Die ausgewiesene Härte für das Deckplattengummi kann nur an Prüfkörpern die der Norm entsprechen gemessen werden.  
The specified hardness of the cover compound can only be measured using test samples according to the standard. It is not possible to measure the hardness directly on the product itself.

Unsere Drucktücher verfügen über eine spezielle CONTI-AIR® kompressible Schicht geschlossener Mikrozellen mit Überdruck.

Our printing blankets have a special CONTI-AIR® compressible layer of over-pressured microcells.



mixed application



conventional



**ContiTech Elastomer-Beschichtungen GmbH**  
Breslauer Str. 14 | 37154 Northeim | Germany  
service@contiair.com  
www.contiair.com

The content of this publication is not legally binding and is provided as information only. The trademarks displayed in this publication are the property of Continental AG and/or its affiliates. Copyright © 2023 ContiTech AG, Hanover. All rights reserved. For complete information go to: [www.continental-industry.com/discpl\\_en](http://www.continental-industry.com/discpl_en)

Der Inhalt dieser Druckschrift ist unverbindlich und dient ausschließlich Informationszwecken. Für weitere Information besuchen Sie bitte: [www.continental-industry.com/discpl\\_de](http://www.continental-industry.com/discpl_de)