

CONTI-AIR® STEEL SBColdset Printing Blanket



CONTI-AIR® STEEL SB

The Metalback Printing Blanket for UV Curing Inks


- Designed for sheetfed applications
- > Medium hard blanket construction
- Developed for highest durabilty
- > Using the special CONTIAIR® microcell technology

Guiding Value

		Standard
Application:	Sheetfed/Webfed	
Nominal Thickness:	1.63	DIN EN ISO 2286-3*
True Rolling (Paper feed characteristics):	neutral	
Color:	black	
Surface finish:	ground	
Hardness of Surface Compound (shore A):	65	DIN ISO 48-4:2021-02*/**
Metal base:	Steel	
Backside:		

Unsere Drucktücher verfügen über eine spezielle CONTI-AIR® kompressible Schicht geschlossener Mikrozellen mit Überdruck.

Our printing blankets have a special CONTI-AIR® compressible layer of over pressured microcells.







ContiTech Elastomer-Beschichtungen GmbH

Breslauer Str. 14 | 37154 Northeim | Germany service@contiair.com www.contiair.com



Der Inhalt dieser Druckschrift ist unverbindlich und dient ausschließlich Informationszwecken. Für weitere Information besuchen Sie bitte: www.continental-industry.com/discl_de



^{*} Performed in accordance with the given standard. Please note that the procedure of testing could be deviate and that the number of samples tested may difer.

** The specified hardness of the cover compound can only be measured using test samples according to the standard. It is not possible to measure the hardness directly on the product itself.